

## PHILIPPINE HEART CENTER East Avenue, Quezon City

## SUPPLEMENTAL BID BULLETIN No. 079 -2022

**SUBJECT**: Modifications/Amendments in the Bidding Documents

PROJECT/S: 3 units Automated Instrument Washer - ITB No. 105.22

\*

To ensure that the transactions are comparatively advantageous to the interests of the PHC, the originally pre-issued technical specifications as mentioned above, revisions/changes are hereby introduced.

Page No.	PHC – Technical Specifications FROM	Clarifications/Modifications (Should be read as) TO
Page 22	5.3. For this purpose, contracts similar to the Project shall be:	5.3. For this purpose, contracts similar to the Project shall be: a. or any Decontaminating machines, washer disinfector machines and/or sterilizing machines (as recommended)
	<ul> <li>completed within the past 2 years prior to the deadline for submission and receipt of bids.</li> </ul>	<ul> <li>a. completed within the past 5 years prior to the deadline for the submission and receipt of bids.</li> </ul>
37	Technical Specification     1.1. Door     1.1.1. Pass through double, vertical sliding glass door	1. Technical Specification 1.1. Door 1.1.1. Pass through double door, automatic vertical sliding glass door, with downward movement
	1.1.3. Automatic sliding door, with downward vertical movement	To be deleted
38	1.6. Chamber size and shape 1.6.1. Chamber/Internal working dimension: 550-590 (L) x 555 -620 (W) x 625-685 (H)mm	1.6. Chamber size and shape 1.6.1. Chamber/Internal working dimension: 550-590 (L or D) x 555 -620 (W) x 625-685 (H)mm
		For Inclusion: - External dimension must fit the area of installation - Please see attached Diagram
	1.6.2. Maximum loading capacity of 12 DIN baskets 1/1 in 6 levels rack	1.6.2. Maximum loading capacity of 10-12 DIN baskets 1/1 in 5-6 levels rack with removable levels
39	1.8. Safety Features 1.8.19. FDS (Foam, Detection System) system	1.8. Safety Features 1.8.19. FDS (Foam, Detection) or detergent pump check
	1.9. Other Features 1.9.3. Loading Capacity of 12 DIN	To be deleted


40	System Configuration Accessories, spares and consumables     2.1.2. 10-12 DIN baskets	To be deleted
	2.1.3. 4 :Level rack with removable levels	To be deleted
	2.1.6. Delivery with seven (7) days upon receipt of approved Purchase Order	To be deleted
	2.1.7. Lead time for delivery of spare part/s is subject for importation	To be deleted
	Power Supply     4.1. Power input to be 220-240VAC, 60Hz fitted with PHC electrical outlet	4. Power Supply 4.1. Power input to be 440-480, 60Hz fitted with PHC electrical power supply (certificate)
	Standard, Safety and Training     5.5. Two (3) year warranty on parts and service under normal use	5. Standard, Safety and Training 5.5. Three (3) years warranty on parts and service under normal use

This Supplemental Bid Bulletin is hereby issued to modify the original parameters as stated therein. All other requirements previously stated on the bid documents must be complied.


Please be guided accordingly.


Approved. Done this 27th day of October 2022, BAC Office, PHC.

MARIETTA A. VELASCO RN, MAN, MBAH
Chairman, BAC for Pharma Supplies and Medical Equipment









East Ave., Queson Classes APPROVED